


191

IN THE CLAIMS:

Please amend Claims 1-18 and 20-26 as follows and add new claims 27-60 as follows.

1. (Amended) A compound of formula I




I

or a pharmaceutically-acceptable salt or prodrug thereof,


where R₁, R₂, R₃, R₄, and R₅ are each independently selected from

- a. hydrogen,
b. halogen,
c. alkyl,
d. haloalkyl,
e. alkoxy,
f. cyano,
g. nitro,
h. carboxaldehyde,
i. heterocyclysulfanyl,
j. "cis-cinnamide", and
k. "trans-cinnamide",

where "cis-cinnamide" and "trans-cinnamide" are defined as



"cis-cinnamide"



"trans-cinnamide",

where R₈ and R₉ are each independently selected from

- a. hydrogen,
- b. alkyl,
- c. carboxy alkyl,
- d. monoalkylaminocarbonyl alkyl, and
- e. dialkylaminocarbonyl alkyl,

and R₁₀ and R₁₁ are each independently selected from

- a. hydrogen,
- b. alkyl,
- c. cycloalkyl,
- d. alkoxyalkyl,
- e. hydroxyalkyl,
- f. substituted aryl,
- g. unsubstituted heterocyclyl,
- h. unsubstituted heterocyclalkyl,
- i. heterocyclamino,
- j. substituted heterocyclyl,
- k. substituted heterocyclalkyl,
- l. unsubstituted aryl,
- m. arylalkyl,
- n. carboxyalkyl, and
- o. alkoxyalkyl,

or R₁₀ and R₁₁ are taken together with N to form an unsubstituted heterocyclyl or substituted heterocyclyl group, substituted by one or more than one substituent, each substituent independently selected from

- 1) alkyl
- 2) alkoxy,
- 3) alkoxyalkyl,
- 4) cycloalkyl,

- A
165
Sub
B1
- 5) aryl,
 - 6) heterocyclyl,
 - 7) heterocyclylcarbonyl,
 - 8) heterocyclylalkylaminocarbonyl,
 - 9) hydroxy,
 - 10) hydroxyalkyl,
 - 11) hydroxyalkoxyalkyl,
 - 12) carboxy,
 - 13) carboxyalkyl,
 - 14) carboxycarbonyl,
 - 15) carboxaldehyde,
 - 16) alkoxycarbonyl,
 - 17) arylalkoxycarbonyl,
 - 18) aminoalkyl,
 - 19) aminoalkanoyl,
 - 20) carboxamido,
 - 21) alkoxycarbonylalkyl,
 - 22) carboxamidoalkyl,
 - 23) cyano,
 - 24) unsubstituted tetrazolyl,
 - 25) substituted tetrazolyl,
 - 26) alkanoyl,
 - 27) hydroxyalkanoyl,
 - 28) alkanoyloxy,
 - 29) alkanoylamino,
 - 30) alkanoyloxyalkyl,
 - 31) alkanoylaminoalkyl,
 - 32) sulfonate,
 - 33) alkylsulfonyl,
 - 34) alkylsulfonylaminocarbonyl,
 - 35) arylsulfonylaminocarbonyl,

- 36) heterocyclysulfonylaminocarbonyl,
37) alkenoxycarbonyl,
38) alkoxycarbonylalkylaminocarbonyl,
39) aryl(carboxy)alkylaminocarbonyl,
40) carboxyalkylaminocarbonyl,
41) heterocyclylalkyl,
42) hydroxyalkylaminocarbonyl,
43) hydroxyaminocarbonyl,
44) hydroxy(carboxy)alkylaminocarbonyl,
45) hydroxy(carboxy)alkylcarbonyl, and
46) sulfoalkylaminocarbonyl,

and where Ar is an unsubstituted aryl or unsubstituted heteroaryl group, or a substituted aryl or substituted heteroaryl group, substituted by one or more than one substituent, each substituent independently selected from

- a. halogen,
b. alkyl,
c. aryl,
d. haloalkyl,
e. hydroxy,
f. alkoxy,
g. alkoxyalkyl,
h. alkoxycarbonyl,
i. alkoxyalkoxy,
j. hydroxyalkyl,
k. aminoalkyl,
l. aminocarbonyl,
m. alkyl(alkoxycarbonylalkyl)aminoalkyl,
n. unsubstituted heterocyclyl,
o. substituted heterocyclyl,

- p. unsubstituted heterocyclalkyl,
 q. substituted heterocyclalkyl,
 r. carboxaldehyde,
 s. carboxaldehyde hydrazone,
 t. carboxamide,
 u. alkoxycarbonylalkyl,
 v. carboxy,
 w. carboxyalkyl,
 x. carboxyalkoxy,
 y. carboxythioalkoxy,
 z. carboxycycloalkoxy,
 aa. alkylsulfanyl,
 bb. hydroxycarbonylalkyl (carboxyalkyl),
 cc. hydroxyalkylaminocarbonyl,
 dd. cyano,
 ee. amino,
 ff. heterocyclalkylamino,
 gg. carboxyalkylamino,
 hh. carboxyalkenyl,
 ii. alkoxycarbonylalkenyl,
 jj. heterocyclalkylaminocarbonyl, and
 kk. "trans-cinnamide",

subject to the provisos that:

- i) one or more than one of R₁ or R₃ is a "cis-cinnamide" or a "trans-cinnamide", as defined above, and
 - ii) when R₃ is a "cis-cinnamide" or a "trans-cinnamide," and R₈ is alkyl,
- then

(A) one or more than one of R₁, R₂, R₄, and R₅ is other than hydrogen when Ar is an unsubstituted aryl group, or

(B) Ar is a substituted aryl group, when all of R₁, R₂, R₄, and R₅ are hydrogen.

2. (Amended) A compound according to Claim 1 where R₁ is a "*cis*-cinnamide" or a "*trans*-cinnamide", and R₃ is hydrogen.
3. (Amended) A compound according to Claim 1 where R₃ is a "*cis*-cinnamide" or a "*trans*-cinnamide", and R₁ is hydrogen.
4. (Amended) A compound according to Claim 1 where R₃ is a "*cis*-cinnamide" or a "*trans*-cinnamide", and one or more than one of R₁, R₈, and R₉ are each hydrogen.
5. (Amended) A compound according to Claim 4 where R₃ is a "*cis*-cinnamide".
6. (Amended) A compound according to Claim 4 where R₃ is a "*trans*-cinnamide".
7. (Amended) A compound according to Claim 1 where R₃ is a "*cis*-cinnamide" or a "*trans*-cinnamide", R₁, R₂, and R₄ are each independently selected from hydrogen and alkyl; and R₅ is halogen, haloalkyl, or nitro.
8. (Amended) A compound according to Claim 4 where Ar is a substituted aryl or substituted heteroaryl.
9. (Amended) A compound according to Claim 4 where R₁₀ and R₁₁ are each independently selected from hydrogen, alkyl, cycloalkyl, alkoxycarbonylalkyl, hydroxyalkyl, and heterocyclalkyl.
10. (Amended) A compound according to Claim 4 where R₁₀ and R₁₁ are taken together with N to form an unsubstituted heterocycl or substituted heterocycl group.
11. (Amended) A compound according to Claim 8 where Ar is a substituted aryl or substituted heteroaryl group selected from phenyl, 1,3-benzimidazol-2-one, 1,4-benzodioxane, 1,3-benzodioxole, 1-benzopyr-2-en-4-one, indole, isatin, 1,3-quinazolin-4-one, and quinoline.
12. (Amended) A compound according to Claim 1 selected from:
(2,4-Dichlorophenyl)[2-(*E*-((6-hydroxyhexylamino)carbonyl)ethenyl)phenyl] sulfide;
(2,4-Dichlorophenyl)[2-(*E*-((3-(1-imidazolyl)propylamino)carbonyl)ethenyl)phenyl]

A
165
Sub
bl

sulfide;
(2,4-Dichlorophenyl)[2-chloro-4-(*E*-((2-hydroxyethylamino)carbonyl)ethenyl)phenyl]
sulfide;
(2,4-Dichlorophenyl)[2-chloro-4-(*E*-((6-hydroxyhexylamino)carbonyl)ethenyl)phenyl]
sulfide;
(2,4-Dichlorophenyl)[2-chloro-4-(*E*-((bis-(2-hydroxyethyl)amino)carbonyl)ethenyl)
phenyl] sulfide;
(2,4-Dichlorophenyl)[2-chloro-4-(*E*-((3-(2-oxopyrrolidin-1-yl)propylamino)carbonyl)
ethenyl)phenyl] sulfide;
(2,4-Dichlorophenyl)[2-chloro-4-(*E*-((1-morpholinyl)carbonyl)ethenyl)phenyl] sulfide;
(2,4-Dichlorophenyl)[2-chloro-4-(*E*-((4-methylpiperazin-1-yl)carbonyl)ethenyl)phenyl]
sulfide;
(2,4-Dichlorophenyl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]
sulfide;
(2,4-Dichlorophenyl)[2-chloro-4-(*E*-((4-(2-pyridyl)piperazin-1-yl)carbonyl)
ethenyl)phenyl] sulfide;
(2-(Hydroxymethyl)phenyl)[2-chloro-4-(*E*-((1-morpholinyl)carbonyl) ethenyl)phenyl]
sulfide;
(2-Bromophenyl)[2-chloro-4-(*E*-((1-morpholinyl)carbonyl) ethenyl)phenyl] sulfide;
(2,4-Dichlorophenyl)[2-chloro-4-(*E*-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)
ethenyl)phenyl] sulfide;
(2,4-Dichlorophenyl)[2-chloro-4-(*E*-((4-(2-hydroxyethoxyethyl)piperazin-1-yl)carbonyl)
ethenyl)phenyl] sulfide;
(2-Bromophenyl)[2-chloro-4-(*E*-((3-(hydroxymethyl)piperidin-1-yl)carbonyl)
ethenyl)phenyl] sulfide;
(2-Bromophenyl)[2-chloro-4-(*E*-((2-(hydroxymethyl)piperidin-1-yl)carbonyl)
ethenyl)phenyl] sulfide;
(2-Bromophenyl)[2-chloro-4-(*E*-((3-acetamidopyrrolidin-1-yl)carbonyl)ethenyl)phenyl]
sulfide;
(2-Bromophenyl)[2-chloro-4-(*E*-((4-hydroxypiperidin-1-yl)carbonyl)ethenyl)phenyl]
sulfide;

Sub
B1
A
165

(2-Bromophenyl)[2-chloro-4-(*E*-((piperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
(2,4-Dichlorophenyl)[2-chloro-4-(*E*-((3-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
(2,4-Dichlorophenyl)[2-chloro-4-(*E*-((4-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
(2-Bromophenyl)[2-chloro-4-(*E*-((4-acetylhomopiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
(2-Bromophenyl)[2-chloro-4-(*E*-((thiomorpholin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
(2-Bromophenyl)[2-chloro-4-(*E*-((4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
(2-Bromophenyl)[2-chloro-4-(*E*-((2-tetrahydroisoquinoliny)carbonyl)ethenyl)phenyl] sulfide;
(2-Methylphenyl)[2-trifluoromethyl-4-(*E*-((4-acetyl)piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
(2-Methylphenyl)[2-trifluoromethyl-4-(*E*-((1-morpholinyl)carbonyl)ethenyl)phenyl] sulfide;
(2-Methylphenyl)[2-trifluoromethyl-4-(*E*-((2-(1-morpholinyl)ethylamino)carbonyl)ethenyl)phenyl] sulfide;
(2-Methylphenyl)[2-trifluoromethyl-4-(*E*-((4-phenylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
(2-Methylphenyl)[2-trifluoromethyl-4-(*E*-((3-(2-oxopyrrolidin-1-yl)propylamino)carbonyl)ethenyl)phenyl] sulfide;
(2-Methylphenyl)[2-trifluoromethyl-4-(*E*-((cyclopropylamino)carbonyl)ethenyl)phenyl] sulfide;
(2,4-Dichlorophenyl)[2-nitro-4-(*E*-((4-acetyl)piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
(2,4-Dichlorophenyl)[2-nitro-4-(*E*-((3-(2-oxopyrrolidin-1-yl)propylamino)carbonyl)ethenyl)phenyl] sulfide;
(2,3-Dichlorophenyl)[2-nitro-4-(*E*-((4-acetyl)piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
(4-Bromophenyl)[2-nitro-4-(*E*-((4-acetyl)piperazin-1-yl)carbonyl)ethenyl)phenyl]

sulfide;

(4-Methylphenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]

sulfide;

(2,4-Dichlorophenyl)[2-nitro-4-(*E*-((4-(*tert*-butoxycarbonyl)piperazin-1-yl)carbonyl)

ethenyl)phenyl] sulfide;

(2,4-Dichlorophenyl)[2-nitro-4-(*E*-((4-(2-furoylcarbonyl)piperazin-1-yl)carbonyl)

ethenyl)phenyl] sulfide;

(2,4-Dichlorophenyl)[2-nitro-4-(*E*-((4-(methanesulfonyl)piperazin-1-yl)carbonyl)

ethenyl)phenyl] sulfide;

(2,4-Dichlorophenyl)[2-nitro-4-(*E*-((4-(diethylaminocarbonylmethyl)piperazin-1-yl)carbonyl) ethenyl)phenyl] sulfide;

(2,4-Dichlorophenyl)[2-nitro-4-(*E*-((4-(diethylaminocarbonyl)piperazin-1-yl)carbonyl) ethenyl)phenyl] sulfide;

(2,4-Dichlorophenyl)[2-nitro-4-(*E*-((4-(*tert*-butoxycarbonylmethyl)piperazin-1-yl)carbonyl) ethenyl)phenyl] sulfide;

(2,4-Dichlorophenyl)[2-nitro-4-(*E*-((4-(carboxycarbonyl)piperazin-1-yl)carbonyl) ethenyl)phenyl] sulfide;

(2,4-Dichlorophenyl)[2-nitro-4-(*E*-((4-(carboxymethyl)piperazin-1-yl)carbonyl) ethenyl)phenyl] sulfide;

(2-Methylphenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;

(2-Chlorophenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;

(2-Aminophenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;

(2-Hydroxymethylphenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;

(2-Ethylphenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;

(2-*iso*-Propylphenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;

~~(2-*tert*-Butylphenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]
 sulfide;
 (2-Chlorophenyl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl))2-propenyl)phenyl]
 sulfide;
 (2-(1-Morpholinylmethyl)phenyl)[2-chloro-4-(*E*-((1-morpholinyl)carbonyl) ethenyl)
 phenyl] sulfide;
 (2-(4-(1,3-Benzodioxolyl-5-methyl)piperazin-1-ylmethyl)phenyl)[2-chloro-4-(*E*-((1-
 morpholinyl)carbonyl) ethenyl)phenyl] sulfide;
 (2-(4-(*iso*-Propylaminocarbonylmethyl)piperazin-1-ylmethyl)phenyl)[2-chloro-4-(*E*-((1-
 morpholinyl)carbonyl) ethenyl)phenyl] sulfide;
 (2-((*N*-Ethoxycarbonylmethyl-*N*-methyl)aminomethyl)phenyl)[2-chloro-4-(*E*-((1-
 morpholinyl)carbonyl) ethenyl)phenyl] sulfide;
 (2-Formylphenyl)[2-chloro-4-(*E*-((1-morpholinyl)carbonyl)ethenyl)phenyl] sulfide;
 (2-(4-Formylpiperazin-1-ylmethyl)phenyl)[2-chloro-4-(*E*-((1-morpholinyl)carbonyl)
 ethenyl)phenyl] sulfide;
 (2-(*E*-((1-Morpholinyl)carbonyl)ethenyl)phenyl)[2-chloro-4-(*E*-((1-morpholinyl)
 carbonyl)ethenyl)phenyl] sulfide;
 (2-Formylphenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]
 sulfide;
 (2-Formylphenyl)[2-chloro-4-(*E*-((1-morpholinyl)carbonyl)ethenyl)phenyl] sulfide, *N,N*-
 dimethyl hydrazone;
 (2-((3-(1-Morpholinyl)propyl)-1-amino)phenyl)[2-chloro-4-(*E*-((1-
 morpholinyl)carbonyl) ethenyl)phenyl] sulfide;
 (2,4-Dichlorophenyl)[2-bromo-4-(*E*-((3-(2-oxopyrrolidin-1-yl)propylamino)carbonyl)
 ethenyl)phenyl] sulfide;
 (2,4-Dichlorophenyl)[2-formyl-4-(*E*-((1-morpholinyl)carbonyl)ethenyl)phenyl] sulfide;
 (2-Chloro-6-formylphenyl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)
 phenyl] sulfide;
 (2-Cyanophenyl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)
 ethenyl) phenyl] sulfide;
 (2-Isopropylphenyl)[2-cyano-4-(*E*-((morpholin-1-yl)carbonyl)~~

*Sub
bl*
*A
165*

~~ethenyl) phenyl] sulfide;
(2-Bromophenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)
ethenyl) phenyl] sulfide;
(2-(Pyrrolidin-1-yl)phenyl)[2-chloro-4-(*E*-((morpholin-1-yl)carbonyl)
ethenyl) phenyl] sulfide;
(2-Methoxyphenyl)-[2-chloro-4-(*E*-[(morpholin-1-yl)carbonyl]ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carbomethoxypiperazin-1-yl)carbonyl)
ethenyl) phenyl] sulfide;
(2-Methylphenyl)[2-nitro-4-(*E*-((3-carboxamido-4-carbobenzoxypiperazin-1-
yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((2-carbomethoxy-4-*tert*-butoxycarbonylpiperazin-1-
yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((2-carboxy-4-*tert*-butoxycarbonylpiperazin-1-
yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-trifluoromethyl-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)
ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-trifluoromethyl-4-(*E*-((morpholin-1-yl)carbonyl)
ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-trifluoromethyl-4-(*E*-((3-(2-oxopyrrolidin-1-yl)prop-1-
ylamino)carbonyl) ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-trifluoromethyl-4-(*E*-((cyclobutylamino)carbonyl)
ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-trifluoromethyl-4-(*E*-((cyclopentylamino)carbonyl)
ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-trifluoromethyl-4-(*E*-((5-hydroxypent-1-ylamino)carbonyl)
ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carbomethoxy-4-acetylpiperazin-1-
yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Biphenyl)[2-chloro-4-(*E*-((morpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(3,4-Dimethylphenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-
yl)carbonyl)ethenyl)phenyl]sulfide;~~

Sub
bl
A
y65

(2-Bromophenyl)[2-trifluoromethyl-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(5-Indolyl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(5-Benzodioxolyl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((2-carbomethoxypiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2,3-Dimethoxyphenyl)-[2-chloro-4-(*E*-[(morpholin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
(2-Fluorophenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Bromophenyl)[2-trifluoromethyl-4-(*E*-((4-(*tert*-butoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-(Pyrrolidin-1-yl)phenyl)[2-trifluoromethyl-4-(*E*-((4-(*tert*-butoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(3-Carboxamidophenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(3-(Hydroxymethyl)phenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
Phenyl[2-trifluoromethyl-4-(*E*-((4-(*tert*-butoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-trifluoromethyl-4-(*E*-((2-carbomethoxy-4-(*tert*-butoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(pyridine-4-methylaminocarbonyl)-4-(*tert*-butoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Ethoxyphenyl)-[2-chloro-4-(*E*-[(morpholin-1-yl)carbonyl]ethenyl)phenyl]sulfide;
(2-Methoxyphenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-(Azetidin-1-yl)phenyl)[2-trifluoromethyl-4-(*E*-((4-(*tert*-butoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

Sub B1
A
V6S

~~(2-(Piperidin-1-yl)phenyl)[2-trifluoromethyl-4-(E-((4-(tert-butoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(3-Chloro-2-formylphenyl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Trifluoromethylphenyl)[2-trifluoromethyl-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(3-Bromophenyl)[2-trifluoromethyl-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(3,5-Dimethylphenyl)[2-trifluoromethyl-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((3-dimethylaminocarbonyl-4-(pyridine-4-carbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((3-dimethylaminocarbonyl-4-carbomethoxypiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((3-dimethylaminocarbonyl-4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((3-(1-morpholinocarbonyl)-4-tert-butoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((3-(pyridine-4-methylaminocarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((3-dimethylaminocarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((3-(benzylaminocarbonyl)-4-tert-butoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((3-(dimethylaminocarbonyl)-4-tert-butoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Bromophenyl)[2-chloro-4-(E-((3-(5S-hydroxymethyl-2-oxopyrrolidin-1-yl)prop-1-ylamino)carbonyl) ethenyl)phenyl]sulfide;~~
~~(2-Bromophenyl)[2-chloro-4-(E-((3-(2-oxopyrrolidin-1-yl)prop-1-ylamino)carbonyl)ethenyl)phenyl]sulfide;~~

Sub B1
A
165

(2-Bromophenyl)[2-chloro-4-(E-(N-methyl-N-(3-(2-oxopyrrolidin-1-yl)prop-1-yl)amino)carbonyl)ethenyl]phenyl]sulfide;
(2-[2-Methoxy]ethoxyphenyl)-[2-chloro-4-(E-[(morpholin-1-yl)carbonyl]ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(E-((3-(morpholinocarbonyl)piperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(E-((4-*tert*-butoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(E-((4-methoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(E-(4-(pyridine-4-carbonyl)piperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(E-((3-(pyridine-3-methylaminocarbonyl)-4-*tert*-butoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(E-((3-(pyridine-2-methylaminocarbonyl)piperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(E-((3-(pyridine-3-methylaminocarbonyl)piperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(4-Hydroxyphenyl)[2-nitro-4-(E-((4-acetyl)piperazin-1-yl)carbonyl)ethenyl]phenyl]sulfide;
(3,5-Dichlorophenyl)[2-nitro-4-(E-((4-acetyl)piperazin-1-yl)carbonyl)ethenyl]phenyl]sulfide;
(2-Bromophenyl)[2-chloro-4-(E-((3-(5*S*-acetoxymethyl-2-oxopyrrolidin-1-yl)prop-1-ylamino)carbonyl)ethenyl)phenyl]sulfide;
(2-Bromophenyl)[2-chloro-4-(E-((3-(5*S*-methoxymethyl-2-oxopyrrolidin-1-yl)prop-1-ylamino)carbonyl)ethenyl)phenyl]sulfide;
(2-Bromophenyl)[2-chloro-4-(E-((3-(4*R*-hydroxy-2-oxopyrrolidin-1-yl)prop-1-ylamino)carbonyl)ethenyl)phenyl]sulfide;
Phenyl[2-nitro-4-(E-((4-acetyl)piperazin-1-yl)carbonyl)ethenyl]phenyl]sulfide;
(2-Dimethylaminophenyl)[2-nitro-4-(E-((4-acetyl)piperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;

Sub
A
y6S

(3-((2-Hydroxyethyl)aminocarbonyl)phenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(3-((3-(1-Imidazolyl)propyl)aminocarbonyl)phenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(3-((2-(1-Morpholinyl)ethyl)aminocarbonyl)phenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(E-((3-hydroxymethyl-4-*tert*-butoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(E-((4-formylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(E-((2-hydroxymethyl-4-*tert*-butoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Ethoxyphenyl)-[2-chloro-4-(E-[(3-ethoxycarbonylpiperidin-1-yl)carbonyl]ethenyl) phenyl]sulfide;
(3- Aminophenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(4-Aminophenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2,4-Dimethylphenyl)[2- nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2,5-Dimethylphenyl)[2- nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(4-Methoxyphenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(3-Chlorophenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Chloro-4,5-diaminophenyl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(3,4-Diaminophenyl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl]sulfide;
(6-Chloro-2-oxo-2,3-dihydro-1H-benzimidazol-5-yl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(1-Methylindol-7-yl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

54
bl
A
165

~~(2-Hydroxy-4-aminophenyl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((4-methylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((4-(pyridine-2-carbonyl)piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((4-(pyridine-3-carbonyl)piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((2-carbomethoxy-4-methoxycarbonylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((2-carboxy-4-methoxycarbonylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((3-carbomethoxy-4-methylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Ethoxyphenyl)-[2-chloro-4-(E-[(3-carboxypiperidin-1-yl)carbonyl]ethenyl)phenyl] sulfide;~~
~~(2-Ethoxyphenyl)-[2-chloro-4-(E-[(2-ethoxycarbonylpiperidin-1-yl)carbonyl]ethenyl)phenyl] sulfide;~~
~~(2-Ethoxyphenyl)[2-trifluoromethyl-4-(E-((1-(tert-butoxycarbonyl)-4-hydroxypyrrolidin-3-ylamino)carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Ethoxyphenyl)-[2-chloro-4-(E-[(2-carboxypiperidin-1-yl)carbonyl]ethenyl)phenyl] sulfide;~~
~~(2-Ethoxyphenyl)[2-trifluoromethyl-4-(E-(((pyrrolidin-3-ene-1-yl)carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Ethoxyphenyl)[2-trifluoromethyl-4-(E-((3-(2-oxopyrrolidin-1-yl)prop-1-ylamino)carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Ethoxyphenyl)[2-trifluoromethyl-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Ethoxyphenyl)[2-trifluoromethyl-4-(E-((4-(ethoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;~~

Sub
B1
A
165

(2-Ethoxyphenyl)[2-trifluoromethyl-4-(*E*-((4-(2-furylcarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Ethoxyphenyl)-[2-chloro-4-(*E*-[(3-ethoxycarbonylpiperidin-1-yl)carbonyl]ethenyl) phenyl] sulfide;
(2-Ethoxyphenyl)-[2-chloro-4-(*E*-[(4-carboxypiperidin-1-yl)carbonyl]ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((4-ethoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((4-isopropoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((4-isobutoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((4-((1-propen-2-oxo)carbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((4-propionylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((4-carboxamidopiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((4-methylaminocarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((4-(pyrimidin-2-yl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((4-hydroxyacetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((4-(pyrazine-2-carbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-trifluoromethyl-4-(*E*-((2-carboxypyrrol-3-ene-1-yl)carbonyl)ethenyl) phenyl] sulfide methyl ester;

541
131
A
165

(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-hydroxymethyl-4-methylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-trifluoromethyl-4-(*E*-((2-carboxypyrrol-3-ene-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-trifluoromethyl-4-(*E*-((2-hydroxymethylpyrrolidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-methylaminocarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-cyclopropylaminocarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carboxamidopiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carbomethoxy-4-oxopiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3,5-dimethylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(1-Ethylindol-7-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(3-[2-Methoxy]ethoxyphenyl)-[2-chloro-4-(*E*-[(morpholin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
(2-Bromophenyl)[2-chloro-4-(*E*-((4,4'-*S*-dioxothiophosphorin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Bromophenyl)[2-chloro-4-(*E*-(*N*-carbomethoxymethyl-*N*-(3-(2-oxopyrrolidin-1-yl)prop-1-yl)amino)carbonyl) ethenyl)phenyl]sulfide;
(2-Bromophenyl)[2-chloro-4-(*E*-((4-*S*-oxythiomorpholin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Methoxy-5-chlorophenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-acetoxymethyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

Sub
H1
A/
y6S

~~(2-Isopropylphenyl)[2-nitro-4-(E-((3,5-dimethyl-4-acetyl-piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(1-Methylindol-5-yl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-nitro-4-(E-((3-(2-oxopyrrolidin-1-yl)prop-1-ylamino)carbonyl)ethenyl)phenyl]sulfide;~~
~~(Benzodioxan-6-yl)[2-nitro-4-(E-((3-carboethoxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-nitro-4-(E-((4-carboethoxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Ethoxyphenyl)[2-trifluoromethyl-4-(Z-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Ethoxyphenyl)[2-trifluoromethyl-4-(E-((6-methylpyrid-2-ylamino)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Methyl-3-chlorophenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-nitro-4-(E-((3-carboxamidopiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-nitro-4-(E-((2-carboethoxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-nitro-4-(E-((4-carboxamidopiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-nitro-4-(E-((4-tert-butoxycarbonylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((syn-3,5-dimethylmorpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((anti-3,5-dimethylmorpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~

Sub
131
A
165

(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carboethoxypiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-isopropoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(dimethylaminocarbonyl)-4-methylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carbomethoxy-4-hydroxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-hydroxymethyl-4-hydroxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Ethoxyphenyl)[2-trifluoromethyl-4-(*E*-((2-carbomethoxy-4-(methoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Ethoxyphenyl)[2-trifluoromethyl-4-(*E*-((2-carbomethoxy-4-methyl piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Ethoxyphenyl)[2-trifluoromethyl-4-(*E*-((2-carboxy-4-(methoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(Indol-6-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(1-Ethyl-3-(dimethylaminomethyl)indol-7-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(5-Ethoxybenzodioxan-6-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Ethyl-4-bromophenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2-nitro-4-(*E*-((2-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2-nitro-4-(*E*-((4-carboxymethylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
(3-Morpholinophenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(5-Ethoxybenzodioxan-8-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

SJH
BI
A
165

(5-Chloro-8-ethoxyquinolin-7-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carboethoxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carboxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-(((3-ethanesulfonylaminocarbonyl)piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-(((3-(4-methylpiperazine)sulfonylaminocarbonyl)piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-(((3-*p*-toluenesulfonylaminocarbonyl)piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-methyl-4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Hydroxyphenyl)-[2-chloro-4-(*E*-[(morpholin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
(1-(Carboxymethyl)indol-5-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(2-oxopyrrolidin-1-yl)prop-1-ylamino)carbonyl)ethenyl) phenyl] sulfide;
(3-(2-Morpholinoethylamino)phenyl)[2-trifluoromethyl-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Pyrrolidin-1-ylphenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(3-Bromophenyl)[2-nitro-4-(*E*-((3-carboethoxypyrrolidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(3-Bromophenyl)[2-nitro-4-(*E*-((4-carboethoxypyrrolidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-(Hydroxymethyl)-benzodioxan-6-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

Sub
B1

A
16S

(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((3-(2-oxopyrrolidin-1-yl)prop-1-ylamino)carbonyl)ethenyl)phenyl]sulfide;
(3-(Dimethylaminomethyl)indol-5-yl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(E-((2-carboethoxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(E-((2-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(E-((4-carboethoxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(E-((4-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(E-(((4-*p*-toluenesulfonylaminocarbonyl)piperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(E-((3-carboxy-4-hydroxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((3-carboethoxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((2-carboethoxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(Benzodioxan-6-yl)[2-nitro-4-(E-((4-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((3-carboxypyrrolidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((4-carboethoxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((2-carbomethoxy-4-*tert*-butoxycarbonylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((2-carbomethoxy-4-methoxycarbonylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;

Sub
B1
A/
Y6S

~~(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((2-carbomethoxypiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Methyl-3-(carboethoxymethyl)indol-5-yl)[2-trifluoromethyl-4-(E-((morpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(1-(2-Methoxyethyl)indol-5-yl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((3-acetoxymethyl-4-hydroxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((3-(dimethylaminocarbonyl)-4-hydroxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((3-cyanomorpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((3-carboethoxymorpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((3-(tetrazol-5-yl)morpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((4-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((2-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((4-carbomethoxypiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((3-aza-6,9-dioxaspiro[5.4]decan-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-trifluoro-4-(E-((4-(2-oxo-2,3-dihydro-1H-benzimidazole-1-yl)piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((4-(methylaminocarbonyl)piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((3-carbomethoxy-4-methoxycarbonylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;~~

56h
bl
A/
V6S

(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carboxymorpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((2-carboxy-4-methoxycarbonylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((morpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-aza-6,9-dioxaspiro[5.4]decan-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((2-(dimethylaminomethyl)piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((piperidin-1-ylamino)carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((3-carboxy-4-methoxycarbonylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
(2-(Dimethylaminocarbonyl)-benzodioxan-6-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(2-(methoxymethyl)tetrazol-5-yl) piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(1-(methoxymethyl)tetrazol-5-yl) piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(1-Methylindol-5-yl)[2-chloro-4-(*E*-((3-(2-oxopyrrolidin-1-yl)propylamino) carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(tetrazol-5-yl) piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(1-Methylindol-5-yl)[2-chloro-4-(*E*-((3-carboethoxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(1-Methylindol-5-yl)[2-chloro-4-(*E*-((3-carboxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

*Sub
H
165*

~~(1-Methylindol-5-yl)[2-chloro-4-(E-((4-carboethoxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(1-Methylindol-5-yl)[2-chloro-4-(E-((4-carboxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((2-(1-methylpyrrolidin-2-yl)ethylamino)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((4-sulfopiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((3-hydroxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((3-((ethanesulfonylamino)carbonyl)piperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((3-(p-toluenesulfonylamino)carbonyl)piperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((4-((ethanesulfonylamino)carbonyl)piperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;~~
~~(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((2-(tetrazol-5-yl)morpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(E-((2-butyl-5-(tetrazol-5-yl)morpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-(and 3-)(Hydroxymethyl)-benzodioxan-6-yl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;~~
~~(2-(and 3-)(Hydroxymethyl)-benzodioxan-6-yl)[2-nitro-4-(E-((3-(2-oxopyrrolidin-1-yl)prop-1-ylamino)carbonyl) ethenyl)phenyl]sulfide;~~
~~(2-(and 3-)(Hydroxymethyl)-benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((3-(2-oxopyrrolidin-1-yl)prop-1-ylamino)carbonyl) ethenyl)phenyl]sulfide;~~
~~(3-Hydroxymethyl)-benzodioxan-6-yl)[2-nitro-4-(E-((3-(2-oxopyrrolidin-1-yl)prop-1-ylamino)carbonyl) ethenyl)phenyl]sulfide;~~

Sub
B1
A
X6S

(Benzodioxan-6-yl)[2-chloro-4-(*E*-((3-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-(and 3-)(Aminomethyl)-benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((3-(2-oxopyrrolidin-1-yl)prop-1-ylamino)carbonyl)ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(methylaminocarbonyl)morpholin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(hydroxymethyl)morpholin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(acetoxymethyl)morpholin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(aminomethyl)morpholin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(acetamidomethyl)morpholin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(Benzodioxan-6-yl)[2-chloro-4-(*E*-((3-(2-oxopyrrolidin-1-yl)prop-1-ylamino)carbonyl)ethenyl)phenyl]sulfide;
(Benzodioxan-6-yl)[2-chloro-4-(*E*-((3-carboethoxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(Benzodioxan-6-yl)[2-chloro-4-(*E*-((2-carboethoxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Methoxyphenyl)-[2,3-dichloro-4-(*E*-[(morpholin-1-yl)carbonyl]ethenyl)phenyl]sulfide;
(2-Methoxyphenyl)-[2,3-dimethyl-4-(*E*-[(morpholin-1-yl)carbonyl]ethenyl)phenyl]sulfide;
(2-Isopropylphenyl)[2-nitro-4-(*E*-((indol-5-ylamino)carbonyl)ethenyl)phenyl]sulfide;
(Benzodioxan-6-yl)[2-chloro-4-(*E*-((3-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(Benzodioxan-6-yl)[2-chloro-4-(*E*-((3-(tetrazol-5-yl)piperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(Benzodioxan-6-yl)[2-chloro-4-(*E*-((4-(*tert*-butoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;

(Benzodioxan-6-yl)[2-chloro-4-(*E*-((2-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-chloro-4-(*E*-((3-(tetrazol-5-yl)morpholin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-chloro-4-(*E*-((4-(methylaminocarbonyl)piperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(2-Methoxyphenyl)-[2,3-dichloro-4-(*E*-[(4-carboxypiperidin-1-yl)carbonyl]ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-chloro-4-(*E*-((4-(tetrazol-5-yl)piperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(2-Methoxyphenyl)-[3-chloro-4-(*E*-[(morpholin-1-yl)carbonyl]ethenyl)phenyl]sulfide;

(2-Isopropylphenyl)[2-nitro-4-(*E*-((4-oxopiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((3-*R*-carboethoxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((3-*R*-carboxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2,3-dichloro-4-(*E*-((3-(2-oxopyrrolidin-1-yl)prop-1-ylamino)carbonyl) ethenyl)phenyl]sulfide;

(Benzodioxan-6-yl)[2,3-dichloro-4-(*E*-((4-acetylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2,3-dichloro-4-(*E*-((3-carboethoxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2,3-dichloro-4-(*E*-((4-carboethoxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2,3-dichloro-4-(*E*-((3-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2,3-dichloro-4-(*E*-((4-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(2-Isopropylphenyl)[2,3-dichloro-4-(*E*-((3-(2-oxopyrrolidin-1-yl)propylamino) carbonyl)ethenyl) phenyl] sulfide;

~~(2-Isopropylphenyl)[2,3-dichloro-4-(*E*-((4-acetylpiperazin-1-yl) carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2,3-dichloro-4-(*E*-((3-carboethoxypiperidin-1-yl) carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2,3-dichloro-4-(*E*-((4-carboethoxypiperidin-1-yl) carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2,3-dichloro-4-(*E*-((3-carboxypiperidin-1-yl) carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2,3-dichloro-4-(*E*-((4-carboxypiperidin-1-yl) carbonyl)ethenyl)phenyl] sulfide;~~
~~(1-Methylindol-5-yl)[2,3-dichloro-4-(*E*-((3-carboethoxypiperidin-1-yl) carbonyl)ethenyl)phenyl] sulfide;~~
~~(1-Methylindol-5-yl)[2,3-dichloro-4-(*E*-((3-carboxypiperidin-1-yl) carbonyl)ethenyl)phenyl] sulfide;~~
~~(1-Methylindol-5-yl)[2,3-dichloro-4-(*E*-((4-carboethoxypiperidin-1-yl) carbonyl)ethenyl)phenyl] sulfide;~~
~~(1-Methylindol-5-yl)[2,3-dichloro-4-(*E*-((4-carboxypiperidin-1-yl) carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Ethoxyphenyl)-[2,3-dichloro-4-(*E*-[(4-carboxypiperidin-1-yl)carbonyl]ethenyl)phenyl] sulfide;~~
~~(2-Ethoxyphenyl)-[2,3-dichloro-4-(*E*-[(morpholin-1-yl)carbonyl]ethenyl)phenyl] sulfide;~~
~~(2-Ethoxyphenyl)-[2,3-dichloro-4-(*E*-[(3-carboxypiperidin-1-yl)carbonyl]ethenyl)phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carboethoxypyrrolidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carboxypyrrolidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2,3-difluoro-4-(*E*-((3-carboethoxypiperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;~~
~~(2-Isopropylphenyl)[2,3-difluoro-4-(*E*-((3-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;~~

(2-Isopropylphenyl)[2,3-difluoro-4-(*E*-((4-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((3-ethoxycarbonylpyrrolidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((3-carboxypyrrolidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (2-Methoxyphenyl)[2-chloro-3-trifluoromethyl-4-(*E*-((4-carboethoxypiperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (2-Methoxyphenyl)[2-chloro-3-trifluoromethyl-4-(*E*-((4-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (2-Methoxyphenyl)[2-chloro-3-trifluoromethyl-4-(*E*-((morpholin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (Benzodioxan-6-yl) [4-(*E*-((4-carboxypiperidin-1-yl) carbonyl)ethenyl)naphthyl] sulfide;
 (2-Methoxyphenyl) [2,3-dichloro-4-(*E*-((4-(2,4-dioxo-1,3,8-triazaspiro[4.5])-piperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (2-Methoxyphenyl)[2,3-dichloro-4-(*E*-((4-ethylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (2-Isopropylphenyl)[2,3-dichloro-4-(*E*-((4-(2-(2-hydroxyethoxy)ethyl)piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (Benzodioxan-6-yl)[2,3-bis(trifluoromethyl)-4-(*E*-((4-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
 (2-Methoxyphenyl) [2,3-dichloro-4-(*E*-((4-(carboxymethylamino)carbonyl-piperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (2-Methoxyphenyl) [2,3-bis(trifluoromethyl)-4-(*E*-((4-carboxymethylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
 (2-Methoxyphenyl) [2,3-bis(trifluoromethyl)-4-(*E*-((4-N-(2-hydroxyethyl)piperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
 (1-Methylindol-5-yl) [2,3-dichloro-4-(*E*-((4-(carbo-2,3-dihydroxypropylamino)piperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (2-Methoxyphenyl) [2,3-dichloro-4-(*E*-(4-(2,3-dihydroxypropionyl)piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;

~~(2-Methoxyphenyl) [2,3-dichloro-4-(E-(4-(2,3-dihydroxy-3-carboxypropionyl)piperazin-1-yl)carbonyl)ethenyl]phenyl] sulfide;
 (1-Methylindol-5-yl) [2,3-dichloro-4-(E-((4-(carboxymethylamino)carbonyl)piperidin-1-yl)carbonyl)ethenyl]phenyl] sulfide;
 (1-Methylindol-5-yl) [2,3-dichloro-4-(E-((4-sulfopiperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (1-Methylindol-5-yl) [2,3-dichloro-4-(E-(4-methylhomopiperazin-1-yl)carbonyl)ethenyl]phenyl] sulfide;
 (1-Methylindol-5-yl) [2,3-dichloro-4-(E-(4-tetrahydrofuroyl)piperazin-1-yl)carbonyl)ethenyl]phenyl] sulfide;
 (Benzodioxan-6-yl)[2-(benzodioxan-6-sulfanyl)-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl]sulfide;
 (2-Methoxyphenyl) [2,3-dichloro-4-(E-((4-amino-4-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (2-Methoxyphenyl)[2,3-dichloro-4-((4-furoyl)piperazin-1-yl)carbonyl)ethenyl]phenyl] sulfide;
 (1-Methylindol-5-yl) [2,3-dichloro-4-(E-(4-(carbo-3-sulfopropylamino)piperidin-1-yl)carbonyl)ethenyl]phenyl] sulfide;
 (2-Methoxyphenyl)[2,3-dichloro-4-(E-(4-acetylamino-4-carboxypiperidin-1-yl)carbonyl)ethenyl]phenyl] sulfide;
 (2-Methoxyphenyl) [2,3-bis(trifluoromethyl)-4-(E-((4-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
 (2-Methoxyphenyl) 5-[8-(E-((4-(aminocarbonyl)piperidin-1-yl)carbonyl)ethenyl)quinolinyl]sulfide;
 (2-Methoxyphenyl) [2-trifluoromethyl-4-(E-((4-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(1-Methylindol-5-yl)[2,3-dichloro-4-(E-(((1S,4S)-5-tert-butyloxycarbonyl-2,5-diazabicyclo(2.2.1)heptan-2-yl)carbonyl)ethenyl)phenyl]sulfide;
 (1-Methylindol-5-yl) [2,3-dichloro-4-(E/Z-((1S,4S)-2,5-diazabicyclo(2.2.1)heptan-2-yl)carbonyl)ethenyl]phenyl] sulfide;~~

Sub
B1

A
165

(1-Methylindol-5-yl) [2,3-dichloro-4-(*E*-(4-hydroxy-3-carboxypiperidin-1-ylcarbonyl)ethenyl)phenyl] sulfide;
(1-Methylindol-5-yl) [2,3-dichloro-4-(*E*-(*S*-oxothiomorpholin-1-ylcarbonyl)ethenyl)phenyl] sulfide;
(2-Methoxyphenyl) [2,3-dichloro-4-(*E*-((4-sulfophenylamino)carbonyl)ethenyl)phenyl] sulfide;
(2-Methoxyphenyl) [2,3-dichloro-4-(*E*-((4-carboxyphenylamino)carbonyl)ethenyl)phenyl] sulfide;
[3-(4-Morpholino)phenyl] [2,3-dichloro-4-(*E*-[(4-carboxypiperidin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
(2-Methoxyphenyl)[2,3-bis(trifluoromethyl)-4-(*E*-((4-phenylcarboxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Methoxyphenyl) [2,3-dichloro-4-(*E*-(((4-hydroxylaminocarbonyl)piperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
(2-Methoxyphenyl) [2,3-dichloro-4-(*E*-((*N*-carboxymethyl-*N*-phenylamino)carbonyl)ethenyl)phenyl] sulfide;
(2-Methoxyphenyl) [3-chloro-6-hydroxy-4-(*E*-((3-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Methoxyphenyl) [2,3-dichloro-4-(*E*-(4-((1-(2-phenyl-1-carboxyethyl)amino)carbonyl)piperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(2-Methoxyphenyl) [2,3-dichloro-4-(*E*-(4-((1-(2-hydroxy-1-carboxyethyl)amino)carbonyl)piperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(3-(1-(3-Carboxypiperidinyl)phenyl)[2,3-dichloro-4-(*E*-((1,2,5,6-tetrahydropyridin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(3-(4-Pyrrolidin-1-yl)piperidin-1-yl)phenyl [2,3-dichloro-4-(*E*-(((3-(2-oxopyrrolidin-1-yl)propylamino)carbonyl)ethenyl)phenyl]sulfide;
[3-(4-(Spiro-2,2-dioxolanyl)piperidin-1-yl)phenyl] [2,3-dichloro-4-(*E*-((4-morpholinyl)carbonyl)ethenyl)phenyl]sulfide;
[3-(3-Carboxylpiperidin-1-yl)phenyl] [2,3-dichloro-4-(*E*-[(4-carboxypiperidin-1-yl)carbonyl]ethenyl)phenyl] sulfide;

~~(2-(2-Carboxy)ethenyl)phenyl] [2,3-dichloro-4-(E-((4-morpholinyl)carbonyl)ethenyl)phenyl]sulfide;
 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-[(1,2,3,6-tetrahydropyridin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 [3-(4-Carboxypiperidinyl)phenyl] [2,3-dichloro-4-(E-[(4-morpholinyl)carbonyl]ethenyl)phenyl] sulfide;
 [2-(4-Acetylpiperazin-1-yl)phenyl] [2,3-dichloro-4-(E-[(4-carboxypiperidin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 3-(3-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-[(4-morpholinyl)carbonyl]ethenyl)phenyl] sulfide;
 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-[(4-(dimethylaminosulfamoyl)piperazin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 (2-Methoxyphenyl)[2,3-bis(trifluoromethyl)-4-(E-((3-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
 (2-Methoxyphenyl) [2,3-bis(trifluoromethyl)-4-(E-((2-carboxypyrrolidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-((4-((trifluoromethylsulfonyl)piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (2-Methoxyphenyl)[2,3-dichloro-4-(E-(piperidin-1-ylcarbonyl)ethenyl)phenyl] sulfide;
 (2-Hydroxyphenyl) [2,3-dichloro-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl]sulfide;
 (2-Methoxyphenyl) [2,3-dichloro-4-(E-(((4-carboxyphenyl)methyl)amino)carbonyl)ethenyl)phenyl]sulfide;
 (2-Methoxyphenyl) [2,3-dichloro-4-(E-(((4-pyrrolidin-1-yl)piperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
 (2-Hydroxyphenyl)[2,3-dichloro-4-(E-((4-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-((4-((methylsulfonyl)piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (2-Aminophenyl) [2,3-dichloro-4-(E-((4-morpholinyl)carbonyl)ethenyl)phenyl] sulfide;
 (3-(4-carboxypiperidin-1-yl)phenyl)[2,3-dichloro-4-(E-((S-oxothiomorpholin-1-yl)carbonyl)ethenyl)phenyl] sulfide;~~

Sub
B1
A
X6S

~~[3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-((4-hydroxypiperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
(2-Glycoxyphenyl) [2,3-dichloro-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl] sulfide;
(2-(4-Butyroxyl)phenyl)[2,3-dichloro-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl] sulfide;
[3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-((4-hydroxyethylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
[3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-((4-furoylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
[3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-((pyrrolidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
[3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-((diethylaminocarbonyl)ethenyl)phenyl] sulfide;
[3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-((4-ethylpiperazin-yl)carbonyl)ethenyl)phenyl] sulfide;
[3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-((4-(aminocarbonyl)piperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
[3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-((4-(2-(ethoxyethyl)piperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;~~

~~[3-((4-Carboxymethyl)piperazin-1-yl)phenyl] [(2,3-dichloro-4-(E-(4-morpholino)carbonyl)ethenyl)phenyl] sulfide;
 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-bis(trifluoromethyl)-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl] sulfide;
 (3-Hydroxyphenyl) [2,3-dichloro-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl] sulfide;
 [3-(4-Butyroxyl)phenyl] [2,3-dichloro-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl] sulfide;
 (2-Hydroxyphenyl) [2,3-bis(trifluoromethyl)-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl] sulfide;
 (3-Hydroxyphenyl) [2,3-bis(trifluoromethyl)-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl] sulfide;
 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-bis(trifluoromethyl)-4-(E-((4-hydroxypiperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-bis(trifluoromethyl)-4-(E-((1,2,5,6-tetrahydropyridin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 [2-((4-Carboxy)butyloxy)phenyl] [2,3-dichloro-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl] sulfide;
 (2-Glycoxyphenyl) [2,3-bis(trifluoromethyl)-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl] sulfide;
 (2-(4-Butyroxyl)phenyl) [2,3-bis(trifluoromethyl)-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl] sulfide;
 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-bis(trifluoromethyl)-4-(E-((bis-(2-ethoxyethyl)amino)carbonyl)ethenyl)phenyl] sulfide;
 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-bis(trifluoromethyl)-4-(E-((bis-(2-hydroxypropyl)amino)carbonyl)ethenyl)phenyl] sulfide;
 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-bis(trifluoromethyl)-4-(E-((piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (3-(4-Butyroxyl)phenyl) [2,3-bis(trifluoromethyl)-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl] sulfide;
 [2-(3-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-((3-(2-oxopyrrolidin-1-yl)propylaminocarbonyl)ethenyl)phenyl] sulfide;~~

~~[2-(3-Carboxypiperidin-1-yl)phenyl] [2,3-bis(trifluoromethyl)-4-(E-[(3-(2-oxopyrrolidin-1-yl)propylaminocarbonyl)ethenyl]phenyl)] sulfide;
 [2-(3-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-[(4-(2-hydroxyethyl)piperazin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 [2-(3-Carboxypiperidin-1-yl)phenyl] [2,3-bis(trifluoromethyl)-4-(E-[(1,2,5,6-tetrahydropyridin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 [2-(3-Carboxypiperidin-1-yl)phenyl] [2,3-bis(trifluoromethyl)-4-(E-[(4-(2-hydroxyethyl)piperazin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 [2-(3-Carboxypiperidin-1-yl)phenyl] [2,3-bis(trifluoromethyl)-4-(E-[(4-(2-hydroxyethoxy)ethyl)piperazin-1-yl)carbonyl]ethenyl)phenyl] sulfide; and
[3-(3-Propoxy)phenyl] [2,3-dichloro-4-(E-[(4-morpholino)carbonyl]ethenyl)phenyl] sulfide.~~

13. A compound according to Claim 1 selected from the group consisting of:
 (2-Formylphenyl)[2-nitro-4-(E-[(4-acetylpiperazin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 (2-Ethoxyphenyl)-[2-chloro-4-(E-[(morpholin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 (2-Isopropylphenyl)[2-nitro-4-(E-[(3-dimethylaminocarbonyl-4-acetylpiperazin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 (2-Isopropylphenyl)[2-nitro-4-(E-[(4-methoxycarbonylpiperazin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 (2-Ethoxyphenyl)[2-trifluoromethyl-4-(E-[(2-carboxy-4-(methoxycarbonyl)piperazin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 (2-Ethyl-4-bromophenyl)[2-nitro-4-(E-[(4-acetylpiperazin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 (3-Morpholinophenyl)[2-nitro-4-(E-[(4-acetylpiperazin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 (2-Isopropylphenyl)[2-nitro-4-(E-[(3-carboethoxypiperidin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 (2-Isopropylphenyl)[2-nitro-4-(E-[(3-(2-oxopyrrolidin-1-yl)prop-1-ylamino)carbonyl]ethenyl)phenyl] sulfide

Sub
Bl
A/
y6s

(2-(Hydroxymethyl)-benzodioxan-6-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((3-carboxypyrrolidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((4-carboethoxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((2-carbomethoxy-4-methoxycarbonylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((2-carbomethoxypiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2-chloro-4-(*E*-((4-(methylaminocarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(2-Methoxyphenyl)-[2,3-dichloro-4(*E*-[(4-carboxypiperidin-1-yl)carbonyl]ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((3-*R*-carboethoxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2,3-dichloro-4-(*E*-((3-(2-oxopyrrolidin-1-yl)prop-1-ylamino)carbonyl) ethenyl)phenyl]sulfide;
(Benzodioxan-6-yl)[2,3-dichloro-4-(*E*-((4-acetylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2,3-dichloro-4-(*E*-((3-carboethoxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2,3-dichloro-4-(*E*-((4-carboethoxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2,3-dichloro-4-(*E*-((3-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2,3-dichloro-4-(*E*-((4-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
(2-Isopropylphenyl)[2,3-dichloro-4-(*E*-((4-acetylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

Sub
Bl
A
16S

(2-Isopropylphenyl)[2,3-dichloro-4-(*E*-((3-carboethoxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(2-Isopropylphenyl)[2,3-dichloro-4-(*E*-((3-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(2-Isopropylphenyl)[2,3-dichloro-4-(*E*-((4-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(2-Methoxyphenyl) [2,3-dichloro-4-(*E*-((4-(carboxymethylamino)carbonyl-piperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;

(2-Methoxyphenyl) [2,3-bis(trifluoromethyl)-4-(*E*-((4-carboxymethylpiperazin-1-yl) carbonyl)ethenyl)phenyl]sulfide; and

(2-Methoxyphenyl) [2,3-bis(trifluoromethyl)-4-(*E*-((4-N-(2-hydroxyethyl)piperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide.

14. (Amended) A compound according to Claim 1 where Ar is methoxyphenyl or isopropylphenyl.


15. (Amended) A compound according to Claim 1 where Ar is benzodioxan or substituted benzodioxan.

16. (Amended) A compound according to Claim 1 where R₃ is a "trans-cinnamide"; and Ar is an unsubstituted aryl, unsubstituted heteroaryl, substituted aryl, or substituted heteroaryl group selected from 1,3-benzimidazol-2-one, 1,4-benzodioxane, 1,3-benzodioxole, 1-benzopyr-2-en-4-one, indole, isatin, phenyl, 1,3-quinazolin-4-one, and quinoline.

17. (Amended) A compound according to Claim 1 where R₁₀ and R₁₁ are each independently selected from hydrogen, alkyl, cycloalkyl, alkoxyalkyl, hydroxyalkyl, and heterocyclalkyl.

18. (Amended) A compound according to Claim 1 where R₁₀ and R₁₁ are taken together with N to form an unsubstituted heterocyclalkyl or substituted heterocyclalkyl group.

- Sub
B1
A
XLS
19. A pharmaceutical composition comprising a compound of Claim 1 in a pharmaceutically-acceptable carrier.
20. (Amended) A method of inhibiting inflammation comprising the administration of a compound of Claim 1 to a mammal in need of treatment for an inflammatory disorder.
21. (Amended) A method of inhibiting inflammation comprising the administration of a composition of Claim 19 to a mammal in need of treatment for an inflammatory disorder.
22. (Amended) A method of suppressing immune response comprising the administration of a compound of Claim 1 to a mammal in need of treatment for an immune response disorder.
23. (Amended) A method of suppressing immune response comprising the administration of a composition of Claim 19 to a mammal in need of treatment for an immune response disorder.
24. (Amended) A compound of formula II




where R_1 and R_2 are each independently selected from

- a. hydrogen,
- b. halogen,
- c. alkyl,
- d. haloalkyl,

- e. alkoxy,
f. cyano,
g. nitro, and
h. carboxaldehyde.

25. (Amended) A process for preparing a compound according to claim 24 comprising

- a) reacting a compound of formula II'



where R₁ and R₂ are defined as in Claim 24 with lithium hydroxide, and

- b) cleaving the resulting methyl ether.

26. (Amended) A compound according to Claim 1 with the proviso that when three of R₁, R₂, R₄, and R₅ are hydrogen, then the remaining R₁, R₂, R₄, or R₅ is not carboxyl, 5-tetrazolyl, hydroxymethyl or carboxyl derivatized in the form of a pharmaceutically acceptable ester.

27. (New) A compound according to Claim 1 where R₁ is haloalkyl; R₂ is haloalkyl; R₃ is "*trans*-cinnamide"; R₈ is hydrogen; R₉ is hydrogen; R₁₀ and R₁₁ are taken together with N to form an unsubstituted or substituted heterocyclyl group; R₄ is hydrogen; R₅ is hydrogen; and Ar is a substituted aryl, substituted with a substituted heterocyclyl.

28. (New) A compound according to Claim 1 where R₁ is trifluoromethyl; R₂ is trifluoromethyl; R₃ is "*trans*-cinnamide"; R₈ is hydrogen; R₉ is hydrogen; R₁₀ and R₁₁ are taken together with N to form an unsubstituted or substituted heterocyclyl group; R₄

is hydrogen; R₅ is hydrogen; and Ar is a substituted phenyl, substituted with a substituted piperidine.

29. (New) A compound according to Claim 1 where R₃ is a "*trans*-cinnamide."

30. (New) A compound according to Claim 1 where R₃ is a "*trans*-cinnamide" and R₈, or R₉, or both R₈ and R₉ are hydrogen.

31. (New) A compound according to Claim 1 where R₁, or R₂, or both R₁ and R₂ are haloalkyl.

32. (New) A compound according to Claim 1 where R₁, or R₂, or both R₁ and R₂ are trifluoromethyl.

33. (New) A compound according to Claim 1 where Ar is a substituted aryl group.

34. (New) A compound according to Claim 1 where Ar is a substituted phenyl group, substituted with a substituted heterocyclyl.

35. (New) A compound according to Claim 1 where Ar is a substituted phenyl group, substituted with a substituted piperidine.


36. (New) A compound according to Claim 1 where R₁₀ and R₁₁ are taken together with N to form an unsubstituted heterocyclyl or substituted heterocyclyl group selected from an unsubstituted morpholino or a substituted morpholino.

37. (New) A substituted diaryl sulfide cinnamide compound, or a pharmaceutically-acceptable salt or prodrug thereof, the compound comprising:

an unsubstituted aryl, unsubstituted heteroaryl, substituted aryl, or substituted heteroaryl group;

a phenyl group; and
 a sulfur atom directly linking the phenyl group and the unsubstituted aryl,
 unsubstituted heteroaryl, substituted aryl, or substituted heteroaryl group,
 where the phenyl group is substituted with i) a cinnamide group placed *para*- to
 the linking sulfur atom; and ii) one or more than one substituent other than hydrogen.

38. (New) A compound according to Claim 37 represented by formula III,



III

or a pharmaceutically-acceptable salt or prodrug thereof,
 where

Ar is independently selected from unsubstituted aryl, unsubstituted heteroaryl,
 substituted aryl, or substituted heteroaryl;

R₁, R₂, R₄, and R₅ are each independently selected from hydrogen, halogen, alkyl,
 haloalkyl, alkoxy, cyano, nitro, carboxaldehyde, and heterocyclisulfonyl; and

R₃ is a cinnamide.

39. (New) A compound according to Claim 37 where the phenyl group is substituted
 with one or more than one haloalkyl group.

40. (New) A compound according to Claim 37 comprising a substituted aryl or
 substituted heteroaryl group where the substituted aryl or the substituted heteroaryl group
 is substituted with substituted heterocyclyl.

41. (New) A compound according to Claim 37 where the nitrogen of the amide of the
 cinnamide group is a ring atom of an unsubstituted heterocyclyl or substituted
 heterocyclyl group.

42. (New) A compound according to Claim 37 where the phenyl group is substituted with two haloalkyl groups and the nitrogen of the amide of the cinnamide group is a ring atom of an unsubstituted heterocyclyl or substituted heterocyclyl group.

Sub
B1
A
X66
43. (New) A compound according to Claim 37 comprising a substituted aryl group, where the substituted aryl group is a substituted phenyl group, substituted with a substituted piperidine; the phenyl group is substituted with two trifluoromethyl groups; and the nitrogen of the amide of the cinnamide group is a ring atom of a morpholino group.

44. (New) A compound according to Claim 37 which demonstrates inhibitory activity in an ICAM-1/LFA-1 biochemical interaction assay or an ICAM-3/JY-8 cell adhesion assay.

45. (New) A compound according to Claim 37 where the compound demonstrates inhibitory activity in an ICAM-1/LFA-1 biochemical interaction assay of about 50 percent at 4 μ M.

46. (New) A compound according to Claim 37 where the compound demonstrates inhibitory activity in an ICAM-3/JY-8 cell adhesion assay of about 100 percent at 0.6 μ M.

47. (New) A pharmaceutical composition comprising a substituted diaryl sulfide cinnamide compound, or a pharmaceutically-acceptable salt or prodrug thereof, and one or more than one pharmaceutically acceptable carriers, the compound comprising:

an unsubstituted aryl, unsubstituted heteroaryl, substituted aryl, or substituted heteroaryl group;

a phenyl group; and

a sulfur atom directly linking the phenyl group and the unsubstituted aryl, unsubstituted heteroaryl, substituted aryl, or substituted heteroaryl group,

where the phenyl group is substituted with i) a cinnamide group placed *para*- to the linking sulfur atom; and ii) one or more than one substituent other than hydrogen.

48. (New) A method of inhibiting inflammation comprising the administration of a substituted diaryl sulfide cinnamide compound, or a pharmaceutically-acceptable salt or prodrug thereof, to a mammal in need of treatment for an inflammatory disorder, the compound comprising:

an unsubstituted aryl, unsubstituted heteroaryl, substituted aryl, or substituted heteroaryl group;

a phenyl group; and

a sulfur atom directly linking the phenyl group and the unsubstituted aryl, unsubstituted heteroaryl, substituted aryl, or substituted heteroaryl group,

where the phenyl group is substituted with i) a cinnamide group placed *para*- to the linking sulfur atom; and ii) one or more than one substituent other than hydrogen.

49. (New) A method for the treatment of an inflammatory condition in a subject for which an LFA-1 inhibitor is indicated comprising the administration to the subject of a therapeutically effective amount of a substituted diaryl sulfide cinnamide compound, or a pharmaceutically-acceptable salt or prodrug thereof, where the compound, or pharmaceutically acceptable salt or prodrug thereof, binds to the I-domain of LFA-1 in preference to an ICAM.

50. (New) The method of Claim 49 where the diaryl sulfide cinnamide compound comprises:


an unsubstituted aryl, unsubstituted heteroaryl, substituted aryl, or substituted heteroaryl group;

a phenyl group; and

a sulfur atom directly linking the phenyl group and the unsubstituted aryl, unsubstituted heteroaryl, substituted aryl, or substituted heteroaryl group,

where the phenyl group is substituted with i) a cinnamide group placed *para*- to the linking sulfur atom; and ii) one or more than one substituent other than hydrogen..

51. (New) The method of Claim 50 where the substituted diaryl sulfide cinnamide comprises a compound of formula III:



III

or a pharmaceutically-acceptable salt or prodrug thereof,

where

Ar is independently selected from unsubstituted aryl, unsubstituted heteroaryl, substituted aryl, or substituted heteroaryl;

R₁, R₂, R₄, and R₅ are independently selected from hydrogen, halogen, alkyl, haloalkyl, alkoxy, cyano, nitro, carboxaldehyde, and heterocyclylsulfanyl; and

R₃ is a cinnamide.

52. (New) A compound which

(1) binds to the interaction-domain of LFA-1; and

(2) is

(a) a diaryl sulfide comprising first and second aryl groups and a sulfur atom which links the first and second aryl groups and which is connected directly to (i) an aromatic ring in the first aryl group and (ii) an aromatic ring in the second aryl group, where

(A) the first aryl group is substituted with a cinnamide moiety placed ortho- to the linking sulfur atom; or

(B) the first aryl group is substituted with a cinnamide moiety placed para- to the linking sulfur atom and the second aryl group is substituted;

or

(b) a pharmaceutically acceptable salt or prodrug of said diaryl sulfide.

53. (New) A compound according to Claim 52 where the amide group of the cinnamide moiety is a secondary or tertiary amide.
54. (New) A compound according to Claim 53 where the amide group of the cinnamide moiety is a tertiary amide in which the nitrogen atom of the amide group is part of a heterocyclic ring.
55. (New) A compound according to Claim 52 where the first aryl group comprises one or more substituents in addition to the cinnamide moiety placed ortho-or para- to the linking sulfur atom.
56. (New) A compound according to Claim 52 where the second aryl group comprises one or more substituents.
57. (New) A compound according to Claim 52 where the first aryl group comprises a phenyl group which is substituted in the para--position by a cinnamide group and which optionally comprises one or more other substituents.
58. (New) A compound according to Claim 52 wherein the second aryl group comprises a phenyl group which comprises one or more substituents.
59. (New) A compound according to Claim 52 where each of the first and second aryl groups comprises a phenyl group.
60. (New) A compound according to Claim 52 where the first aryl group is a phenyl group substituted with the cinnamide moiety and optionally further substituted with at least one group which is an alkyl, halogen, hydroxy, or alkoxy group, and the second aryl group optionally is substituted with at least one group which is an alkyl, halogen, hydroxy, or alkoxy group.